

Database Overview

(1)

WHICH OF THE FOLLOWING STATEMENTS ARE CORRECT IN REGARD TO THE RESTORE AND RECOVERY OPTION " COMPLETE DATABASE RECOVERY " ?

More than one answer is correct. Decide whether each answer is true or false.

- To use this option, the complete, undamaged BRBACKUP and BRARCHIVE logs must be available.
- To use this option, all of the control file copies defined in the configuration file init<DBSID>.ora must be available.
- To use this option, the SYSTEM tablespace must be intact.
- You can also this option for complete recovers to an earlier point in time.
- To use this option, at least one member of each redo log group must be intact.

(2)

You perform backups on local tapes using automatic tape selection on database C11 In transaction DB13, you checked tape for the next backup is tape volume C11B19. Because of a defect, tape having volume C11B19 is no longer usable. Which of the following statements is true?

More than one answer is correct. Decide whether each answer is true or false.

- You can initialize a new tape with volume name scratch, the next backup will accept this tape, the volume will be automatically renamed C11B19
- The backup will accept tape volume C11B20 instead
- You can initialize a new tape with volume name C11B19, the next backup will accept this tape.
- You can insert any unlabeled tape to perform the next backup.

(3)

SAP recommends checking the database for corrupt data block at least once per backup cycle. How can this be done?

More than one answer is correct. Decide whether each answer is true or false.

- Use the verify option (-W |verify use_dbv) when running brbackup.
- You can perform a level 0 backup using Oracle Recovery Manager (RMAN) together with SAP tools, because this method checks all blocks for corruption
- Use the verify option (-w |verify use_dbv) when running brarchive.

- Oracle always checks for corrupted data blocks when a backup is performed.

—

(4)

With which of the following methods or commands you can shut down an Oracle instance in an SAP System even if work processes of SAP instances have connections to the Oracle instance?

More than one answer is correct. Decide whether each answer is true or false.

- In BR*TOOLS shut down database with close mode immediate, without force.
- In BR*TOOLS Shut down database with close mode abort and force.
- In BR*TOOLS Shut down database with close mode immediate and force
- SQL> SHUTDOWN ABORT
- SQL> SHUTDOWN IMMEDIATE
- In BR*TOOLS Shut down database with close mode abort, without force

—

(5)

Decide which of entries listed below can complete the following sentence correctly in the MOUNT mode of an ORACLE instance, the administrator can

More than one answer is correct. Decide whether each answer is true or false.

- ... access the Oracle DBA_* views in tablespaces SYSTEM
- ... do a media recovery
- ... access the Oracle V\$* view
- ... change the ARCHIVELOG mode of the database
- ... recreate the missing controlfile

—

(6)

Complete the following sentence "OFFLINE redo logs are written by"

Please choose the correct answer

- BRARCHIVE triggered by the checkpoint processes CKPT
- the archiver ARC0
- the log writer LGWR
- the database writer DBW0

—

(7)

Which of the following connect options enables the user to start and stop an Oracle 9.x database?

More than one answer is correct. Decide whether each answer is true or false.

- connect sys/<password>
- connect / as sysdba
- connect / as sysoper
- connect system/password
- connect sap<sid>/password

—

(8)

The Ability to start and stop the database is granted through..... (please complete the sentence with one of the option below)

Please choose the correct answer

- Database role DBA
- Database privileges SYSOPER
- Database Role SYSDBA
- System privilege START_STOP_DATABASE

—

(9)

WHITIN A WORKING ORACLE 9 20 DATABASE YOU CAN FIND FOLLOWING ELEMENTS (AMONG MANY OTHERS) PLEASE IDENTIFY THE CORRECT ONES.

More than one answer is correct. Decide whether each answer is true or false.

- The Oracle agent processes
- The directory " /usr/sap/trans/"
- The datafiles
- The directory saptrace
- File init<DBSID>.ora

—

(10)

Which of following is true for an SAP System with an ORACLE database ORACLE_HOME is

Please choose the correct answer

- ... an user environment variable define just on the Oracle database server

- ... an system environment variable defined on the Oracle database server and each SAP applicatin server
- an system envirnment variable defined just on the Oracle database server
- an user envirinment variable defined on the Oracle database server and each SAP application server

—
(11)

Which of the following statements is true?

Please choose the correct answer

- An Oracle shadows processes is created for each Oracle background process, when the background process is busy for more 300 milliseconds or even fails, its shadow process performs some or all of its tasks.
- In an SAP system, one shadow processes is started for each connection to the Oracle instance.
- In a SAP system, on shadow processes is started for each SAP instance.

—
(12)

Please complete the following sentence using one of the options listed below.

SAP recommends to change password of critical database user SYS, SYSTEM, or SAP<SCHEMA-ID> with help of

Please choose the correct answer

- ... BRCONNECT
- ... BRRESTORE
- ... BRBACKUP
- SQL*PLUS and the command ALTER USER
- SQL*Plus and the command CHANGE PASSWORD

—
Please complete the following sentence with one of the answer option below

When an instance of a Web Application Server 6.20 starts, it work processe connect to the Oracle database with database user

Please choose the correct answer

- ... <sapsid>adm (on UNIX) or SAPService<SAPSID> (on Windows)
- SAPR3
- System
- SAP<SHEMA>ID
- sys

This Free E-book for compiled by

SAPDB.INFO

Credits

Thanks to the people involved in making this document.
